



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO		REPORT DETAILS	
SPORTS LAND GROUP		Report No:	SALND15012018004
		Sample Receipt Date	15/01/2018
		Date of Start to Testing	22/01/2018
		Date of Completion of Test	23/01/2018
		Report Issued Date	23/01/2018
		Quantity of Sample	3 Pcs.
SAMPLE DETAIL		SAMPLE PHOTO	
Sample Description : Food Ball Size 5			
Batch No. : N.S			
Applicant : N.S			
Supplier : N.S			
Manufacturer : N.S			
Country of Origin : N.S			
Description : A sample name "Food Ball Size 5" was submitted by Party on dated 15/01/2018.			
S.No	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test (8.5-15.6 PSI)	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

Remarks: NS= Not Specified

 **SHIVRAM SINGH**
AUTHORIZED SIGNATORY

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092

Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632

E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com

Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018004

Report Date: 23/01/2018

S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test (8.5-15.6 PSI)	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO		REPORT DETAILS	
SPORTS LAND GROUP		Report No:	SALND15012018006
		Sample Receipt Date	15/01/2018
		Date of Start to Testing	22/01/2018
		Date of Completion of Test	23/01/2018
		Report Issued Date	23/01/2018
		Quantity of Sample	3 Pcs.
SAMPLE DETAIL		SAMPLE PHOTO	
Sample Description : Hand Ball SR			
Batch No. : N.S			
Applicant : N.S			
Supplier : N.S			
Manufacturer : N.S			
Country of Origin : N.S			
Description : A sample name "Hand Ball SR" was submitted by Party on dated 15/01/2018.			
S.No	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

Remarks: NS= Not Specified

AUTHORIZED SIGNATORY
SHIVRAM SINGH

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018006

Report Date: 23/01/2018

S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House


BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO		REPORT DETAILS	
SPORTS LAND GROUP		Report No:	SALND15012018007
		Sample Receipt Date	15/01/2018
		Date of Start to Testing	22/01/2018
		Date of Completion of Test	23/01/2018
		Report Issued Date	23/01/2018
		Quantity of Sample	3 Pcs.
SAMPLE DETAIL		SAMPLE PHOTO	
Sample Description : Hand Ball JR			
Batch No. : N.S			
Applicant : N.S			
Supplier : N.S			
Manufacturer : N.S			
Country of Origin : N.S			
Description : A sample name "Hand Ball JR" was submitted by Party on dated 15/01/2018.			
S.No	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

Remarks: NS= Not Specified

AUTHORIZED SIGNATORY

SHIVRAM SINGH

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018007

Report Date: 23/01/2018

S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO		REPORT DETAILS	
SPORTS LAND GROUP		Report No:	SALND15012018008
		Sample Receipt Date	15/01/2018
		Date of Start to Testing	22/01/2018
		Date of Completion of Test	23/01/2018
		Report Issued Date	23/01/2018
		Quantity of Sample	3 Pcs.
SAMPLE DETAIL		SAMPLE PHOTO	
Sample Description : VOLLEY BALL			
Batch No. : N.S			
Applicant : N.S			
Supplier : N.S			
Manufacturer : N.S			
Country of Origin : N.S			
Description : A sample name "VOLLEY BALL" was submitted by Party on dated 15/01/2018.			
S.No	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 6 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

Remarks: NS= Not Specified


SHIVRAM SINGH
AUTHORIZED SIGNATORY

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018008

Report Date: 23/01/2018

S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 6 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

ISO 9001:2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092

Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632

E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com

Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House


BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO	REPORT DETAILS		
SPORTS LAND GROUP	Report No: : SALND15012018002 Sample Receipt Date : 15/01/2018 Date of Start to Testing : 23/01/2018 Date of Completion of Test : 23/01/2018 Report Issued Date : 24/01/2018 Quantity of Sample : 9 Pcs.		
SAMPLE DETAIL	SAMPLE PHOTO		
Sample Description : WHISTLE Batch No. : N.S Applicant : N.S Supplier : N.S Manufacturer : N.S Country of Origin : N.S			
Description : A sample name "WHISTLE " was submitted by Party on dated 15/01/2018.			
S.no	Test Parameter	Test Method	Test Results
1	Non Toxic	IS:9873(Part-3):2017	Passes the Test

Remarks: NS= Not Specified

 **ASHISH SHARMA**
AUTHORIZED SIGNATORY

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018002

Report Date: 24/01/2018

Migration of Certain Elements:-

Specification:- As per Indian Standard on Safety of Toys IS:9873:(Part-3):2017

Test Method:- With Reference to IS:9873:(Part-3):2017 Analysis of general elements was performed by ICP-MS.

Category:

S. No.	Element	Result	LOQ	Migration Limit
1	Antimony (as Sb), mg/kg	BLQ	2.50	60.0 Max
2	Arsenic (as As), mg/kg	BLQ	1.25	25.0 Max
3	Barium (as Ba), mg/kg	BLQ	1.25	1000.0 Max
4	Cadmium (as Cd), mg/kg	BLQ	1.25	75.0 Max
5	Chromium (as Cr), mg/kg	BLQ	1.25	60.0 Max
6	Lead (as Pb), mg/kg	BLQ	1.25	90.0 Max
7	Mercury (as Hg), mg/kg	BLQ	1.25	60.0 Max
8	Selenium (as Se), mg/kg	BLQ	2.50	500.0 Max

Remarks: BLQ: Below Limit of Quantification
LOQ : Limit of Quantification
mg/kg : Milligram per Kilogram: PPM

AUTHORIZED SIGNATORY

ASHISH SHARMA

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092

Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632

E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com

Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO	REPORT DETAILS		
SPORTS LAND GROUP	Report No: : SALND15012018003 Sample Receipt Date : 15/01/2018 Date of Start to Testing : 23/01/2018 Date of Completion of Test : 24/01/2018 Report Issued Date : 24/01/2018 Quantity of Sample : 8 Pcs.		
SAMPLE DETAIL	SAMPLE PHOTO		
Sample Description : Ground Marker Discs Batch No. : N.S Applicant : N.S Supplier : N.S Manufacturer : N.S Country of Origin : N.S			
Description : A sample name "Ground Marker Disc" was submitted by Party on dated 15/01/2018			
S.no	Test Parameter	Test Method	Test Results
1	Maximum acceptable Levels of Phthalate	EN14372	Passes the Test
2	Lead Free	EPA3052	Passes the Test

Remarks: NS= Not Specified

ANISH SHARMA
AUTHORIZED SIGNATORY

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018003

Report Date: 24/01/2018

Migration of Certain Elements:-

Specification:- As per Indian Standard on Safety of Toys IS:9873:(Part-3):2017

Test Method:- With Reference to IS:9873:(Part-3):2017 Analysis of general elements was performed by ICP-MS.

Category:

S. No.	Element	Result	LOQ	Migration Limit
1	Lead (as Pb), mg/kg	BLQ	1.25	90.0 Max

Remarks: BLQ: Below Limit of Quantification
LOQ : Limit of Quantification
mg/kg : Milligram per Kilogram: PPM

AUTHORIZED SIGNATORY

ASHISH SHARMA

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018003

Report Date: 24/01/2018

Maximum acceptable Levels of Phthalate:-

Specification:- As per Indian Standard on Safety of Toys IS:9873:(Part-9):2017

Test Method:- with Reference to IS:9873:(Part-6):2017 Analysis of Phthalate was performed by GC-MS.

S. No.	Test	Result	LOQ	Migration Limit
1	Vinyl in Toys or Childcare Article			0.1% Max
a)	Bis (ethyl hexyl) Phthalate (DEHP)	0.0010	0.0005%	
b)	Dibutyl Phthalate (DBP)	BLQ	0.0005%	
c)	Benzyl Butyl Phthalate (BBP)	BLQ	0.0005%	
2.	Vinyl in anyt part of the toy or childcare article that can be placed in mouth of a child under 4 Year of age			0.1% Max
a)	Di-isonyl Phthalate (DINP)	BLQ	0.005%	
b)	Di-isodecyl Phthalate (DIDP)	BLQ	0.005%	
c)	Di-n-Octyl Phthalate (DNOP)	BLQ	0.0005%	

Remarks: BLQ: Below Limit of Quantification
LOQ : Limit of Quantification

AUTHORIZED SIGNATORY

ASHISH SHARMA

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

TEST REPORT ISSUED TO	REPORT DETAILS		
SPORTS LAND GROUP	Report No: : SALND15012018005 Sample Receipt Date : 15/01/2018 Date of Start to Testing : 22/01/2018 Date of Completion of Test : 23/01/2018 Report Issued Date : 23/01/2018 Quantity of Sample : 3 Pcs.		
SAMPLE DETAIL	SAMPLE PHOTO		
Sample Description : Foot Ball -3 Batch No. : N.S Applicant : N.S Supplier : N.S Manufacturer : N.S Country of Origin : N.S			
Description : A sample name "Foot Ball -3" was submitted by Party on dated 15/01/2018.			
S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test (10-10.2 PSI)	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

Remarks: NS= Not Specified

SHIVRAM SINGH

AUTHORIZED SIGNATORY

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

- NOTE :
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Total liability of this laboratory limited to the invoice amount.
 3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
 4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
 5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



STANDARD ANALYTICAL LABORATORY (ND) PVT. LTD.

69, Functional Industrial Estate, Patparganj, Delhi- 110092
Phone : 011-22143265, 22143266, Fax : 011-45130672, Mob.: 9811110632
E-mail : info@testinglaboratoryindia.com, customercare@testinglaboratoryindia.com
Website : www.testinglaboratoryindia.com, www.standardlab.in

Govt. Approved Test House

BIS : RECOGNIZED

FSSAI

MOEF

DELHI DRUG DEPARTMENT

TEST CERTIFICATE

Report No: SALND15012018005

Report Date: 23/01/2018

S.no	Test Parameter	Test Method	Test Results
1	Seam Bursting Strength Test (10-10.2 PSI)	ISO:13938-1:1999	Passes the Test
2	Stitching Thread 8 Ply Polyester		
2a	Ply Check	IHTM	Passes the Test
2b	Fiber Composition	ISO:1833	Passes the Test
3	Seam Strength Test	ISO:13935-2	Passes the Test

ISO 9001-2008

OHSAS 18001 : 2007

ISO 14001 : 2015

NOTE : 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Total liability of this laboratory limited to the invoice amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
4. Any complaints about this report should be communicated in writing within 7 days of issue of this report.
5. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.



BIRASINI TEST HOUSE

Govt. Approved / NABL-ISO 9001 : 2015 Certified Laboratory



TEST REPORT

Issued To

M/S Sports Land Overseas (P) Ltd.
A-17, Udayg Puram Indl. Area, Pratapur
Delhi Road, Meerut- 250103

Report No.

:100 - 06072019-11

Report Date

: 11/07/2019

Sample Received on

: 06/07/2019

Analysis Date

: 06/07/2019 to 11/07/2019

Report Prepared on

: 11/07/2019

Submitted by

: Customer

Page No. : 1/3

Sample Description

: Scrabble

Brand

: Crossword Game

Product Code

: 51263

Test Required

: ISO: 8124 (Part-1 to Part-3)

CONCLUSION

Sl No.	Test Parameter	Result	Used Standard
A	Mechanical and physical Properties	Passes the Test	ISO: 8124 (Part 1)-2016
B	Flammability Test	Passes the Test	ISO: 8124 (Part 2)-2016
C	Migration of Certain Elements	Passes the Test	ISO: 8124 (Part 3)-2012



- Note :**
1. The test results listed pertain to the sample tested and applicable parameters.
 2. Total liability of this lab is limited to Invoice amount
 3. Any discrepancy found in the test report may be communicated with in seven days from the date of issue to Test Report.
 4. Remainder of Sample tested may be collected within 15 days from the date of issue of test report After which it shall be disposed off.
 5. The test report should not be produced as an evidence for any legal purpose without the prior permission of the director, BTH.

Laboratory Office: 20/6/5, Site- IV, Sahibabad Industrial Area, Ghaziabad - 201010 U.P.

E-mail : birasinitesthouse@gmail.com, Website : www.birasinitesthouse.in

Ph:- 0120- 4541358, 8377986617, 8377986619

Govt. Approved / NABL-ISO 9001 : 2015 Certified Laboratory

TEST REPORT

Page No. : 2/3

Report No. : 100 - 06072019-11

A. Mechanical and Physical Properties

Section	Description	Result
4	Requirements	Pass
4.1	Normal use	Pass
4.2	Reasonably foreseeable abuse	Pass
4.3	Material	Pass
4.4	Small parts	NA
4.5	Shape, Size and Strength of certain toys	Pass
4.6	Edges	Pass
4.7	Points	NA
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	NA
4.11	Cords and elastics	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirements	NA
4.16	Enclosures	NA
4.17	Simulated protective equipment, Such as helmets, hats & goggles	NA
4.18	Projectile toys	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source	NA
4.25	Liquid- filled toys	NA
Annex B	Safety-labelling guidelines and manufactures' markings	
Annex B.202	Age grading	NA
Annex B.3	Instructional literature	NA
Annex B.4	Manufacture's	NA

Authorised Signatory
Tech. Manager

- Note :
1. The test results listed pertain to the sample tested and applicable parameters.
 2. Total liability of this lab is limited to Invoice amount
 3. Any discrepancy found in the test report may be communicated with in seven days from the date of issue of Test Report.
 4. Remainder of Sample tested may be collected within 15 days from the date of issue of test report After which it shall be disposed off.
 5. The test report should not be produced as an evidence for any legal purpose without the prior permission of the director, BTH.

Laboratory Office: 20/6/5, Site- IV, Sahibabad Industrial Area, Ghaziabad - 201010 U.P.

E-mail : birasinitesthouse@gmail.com, Website : www.birasinitesthouse.in

Ph:- 0120- 4541358, 8377986617, 8377986619

Govt. Approved / NABL-ISO 9001 : 2015 Certified Laboratory



BIRASINI TEST HOUSE

Govt. Approved / NABL-ISO 9001 : 2015 Certified Laboratory

AN 250 9001 : 2015



TEST REPORT

Page No. : 3/3

Report No. : 100 - 06072019-11

B. Flammability Test

Section	Description	Result
4	Requirements	Pass
4.1	General	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in a play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

* The rate of spread of flame on the surface scabble shall not be greater than 30 mm/sec.

C. Migration of Certain Elements Test

Item	Unit	Results				Limit
		(1)	(2)	(3)	(4)	
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	60
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	N.D.	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	N.D.	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	500

N.D.= Not Detected

Remark : Sample meet the requirement to As Per ISO: 8124 (P-1 & P-3) with respect to above test only.

End of Report

U/P21/V



- Note :**
1. The test results listed pertain to the sample tested and applicable parameters.
 2. Total liability of this lab is limited to Invoice amount
 3. Any discrepancy found in the test report may be communicated with in seven days from the date of issue to Test Report.
 4. Remainder of Sample tested may be collected within 15 days from the date of issue of test report After which it shall be disposed off.
 5. The test report should not be produced as an evidence for any legal purpose without the prior permission of the director, BTH.

Laboratory Office: 20/6/5, Site- IV, Sahibabad Industrial Area, Ghaziabad - 201010 U.P.
E-mail : birasinitesthouse@gmail.com, Website : www.birasinitesthouse.in

Ph:- 0120- 4541358, 8377986617, 8377986619

Govt. Approved / NABL-ISO 9001 : 2015 Certified Laboratory

Report No. : GR:TX:5410080501-1

DATE : 15/07/2014



CUR-7975

SPORTS LAND OVERSEAS PVT. LTD...

A-17,UDYOG PURAM,INDUSTRIAL, AREA,PARTAPUR,DELHI,ROAD,MEERUT

250103

INDIA

CONTACT PERSON : NEETU/SAMAR



THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

PRODUCT DESCRIPTION	FABRIC
	MESH FABRIC
COLOUR	RED AND BLUE
ORDER NUMBER	PI-SM/SL/APR/08-02
STYLE NO.	SPORT BIB, MESH RED & SPORT BIB MESH BLUE
END USE	SPORTS WEAR
FIBRE CONTENT	100% POLYESTER
BUYER	INTERSPOR DIS TIC.A.S.
COUNTRY OF DESTINATION	TURKEY
COUNTRY OF ORIGIN	INDIA
SAMPLE RECD ON	05/07/2014
MODIFIED DATE	15/07/2014
TESTING PERIOD	09/07/2014 - 12/07/2014

TESTS	PASS	FAIL	REMARKS
AZO DYES			
RED+BLUE	X		

per pro SGS India Private Ltd.

ANAND GOEL

EXECUTIVE

Email your Test Report Related Enquiries at Feedback.SLT@sgs.com

REPORT HAS BEEN REVISED FOR END USE

This Report cancels and supersedes the Report No 5410080501 Dated 12/07/2014 issued by SGS India

JOE No. : 1441850952

Page 1 of 3

Control No.:5415133454

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Report No. : GR:TX:5410080501-1

DATE : 15/07/2014



CUR-7975

RESULTS

REQ

Determination of Certain Listed Aromatic Amines Derived from Azo Colourants

Test Method: According to EN 14362-1:2012 with the use of Gas Chromatography - Mass Spectrometry (GC-MS) / High Performance Liquid Chromatography - Diode Array Detector (HPLC-DAD)

RED+BLUE

No.	Forbidden Amines Substances	CAS-No.	Result
1	4-aminodiphenyl/xenylamine/Biphenyl-4-ylamine	92-67-1	n.d
2	Benzidine	92-87-5	n.d
3	4-chlor-o-toluidine	95-69-2	n.d
4	2-naphthylamine	91-59-8	n.d
5	o-aminoazotoluene/4-o-tolylazo-o-toluidine/4-amino-2',3'-dimethylazobenzene	97-56-3	n.d
6	2-amino-4-nitrotoluol/5-nitro-o-toluidine	99-55-8	n.d
7	p-chloranilin/4-chloroaniline	106-47-8	n.d
8	2,4-diaminoanisole/4-methoxy-m-phenylenediamine	615-05-4	n.d
9	4,4'-diaminodiphenylmethane/4,4'-methylenedianiline	101-77-9	n.d
10	3,3'-dichlorobenzidine/3,3'-dichlorobiphenyl-4,4'-ylenedi-amine	91-94-1	n.d
11	3,3'-dimethoxybenzidine/o-dianisidine	119-90-4	n.d
12	3,3'-dimethylbenzidine/4,4'-bi-o-Toluidine	119-93-7	n.d
13	3,3'-dimethyl-4,4'-diaminodiphenylmethane/4,4'-methylenedi-o-toluidine	838-88-0	n.d
14	p-cresidin/6-methoxy-m-toluidine	120-71-8	n.d
15	4,4'-methylen-bis-(2-chloro-aniline)/2,2'-dichloro-4,4'-met hylene-dianiline	101-14-4	n.d
16	4,4'-oxydianiline	101-80-4	n.d
17	4,4'-thiodianiline	139-65-1	n.d
18	o-toluidine/2-aminotoluene	95-53-4	n.d
19	2,4-toluyldiamine/4-methyl-m-phenylenediamine	95-80-7	n.d
20	2,4,5-trimethylaniline	137-17-7	n.d
21	4-aminoazobenzene	60-09-3	n.d
22	o-anisidine/ 2-methoxyaniline	90-04-0	n.d
23	2,4-Xylidine*	95-68-1	n.d
24	2,6-Xylidine*	87-62-7	n.d
Conclusion			PASS

JOE No. : 1441850952

Page 2 of 3

Control No.:5415133454

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Report No. : GR:TX:5410080501-1

DATE : 15/07/2014



CUR-7975

RESULTS

REQ

Note: ND=Not Detected

Method Detection Limit=5mg/kg(ppm) (for individual compound)

Max Limit = 30 mg/kg (ppm)

* Amine tested as per customer request

Recommended Max Limit with reference to entry 43 of Regulation (EC) No. 552/2009 amending Annex XVII of REACH Regulation (EC) No. 1907/2006.

Remark:

The EN 14362-1:2012 method will enable further cleavage of 4-aminoazobenzene to non-forbidden amines: aniline and 1,4-phenylenediamine. If aniline and/or 1,4-phenylenediamine is not found (i.e. 5mg/kg) by mentioned test method, test result for 4-aminoazobenzene (CAS no. 60-09-3) is considered as "not detected" (i.e. <5mg/kg). Otherwise, the test method of EN 14362-3:2012 will be employed to verify the presence of 4-aminoazobenzene.

Whenever 4-aminodiphenyl (CAS number 92-67-1), 2-naphylamine (CAS number 91-59-8) and

4-methoxy-m-phenylene-diamine (CAS number 615-05-4) is found, the use of banned azo colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorants used.

In case polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 4,4'-methylenedianiline (MDA, CAS number 101-77-9) and 2,4-toluylen-diamine (TDA, CAS number 95-80-7) are released from the PU component and not from a banned azo colorant.

In case of pigment prints care has to be taken that 4,4-methylenedianiline (MDA, CAS number 101-77-9) is not released from a source of banned azo colorants but from e.g. a chemical fixing agent.

COMMENT:

Based on the test result, azo colorants which can release one or more of the listed amines by cleavage of their azo group/s were not detected in sample (s) or the commodity submitted.

IMPORTANT:

Test was conducted on composite sample as per client's request and the test result is the overall result of a composite sample. Therefore, no reference can be made to the result of each component in the composite sample.

***** End of Report *****